

BARGE MOC VI

TANK GAUGE TABLE
 6 PORT
 GAUGE HEIGHT 16'-5 3/8"

IN	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT	12 FT	13 FT
0	0	0	0	0	0	0	0	0	0	0	0	0
1	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44
2	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44
3	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44
4	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44
5	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44
6	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44
7	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44
8	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44
9	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44
10	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44
11	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44
12	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44
13	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44	2744.44

NOTE: GAUGE POINT LOCATED 3'-2" OFF CENTERLINE BARGE AND 4'-5" FORWARD OF A.T. REFERENCE.
 NOTE: LARGE APPLIES ONLY WHEN BARGE IS ON EVEN KEEL.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

ILLAGE TABLE

BARGE MOC VI

TANK GAUGE TABLE
 6 PORT

GAUGE HEIGHT 16'-5 3/4"

IN	14 FT	15 FT	16 FT	17 FT	18 FT	19 FT	20 FT	21 FT	22 FT	23 FT	24 FT	25 FT
0	4780.3	2733.7	68.2									
1/4	4780.3	2690.5	63.9									
1/2	4694.1	2647.4	59.8									
3/4	4630.9	2604.3	55.4									
1	4607.8	2561.2	51.1									
1 1/4	4564.7	2518.0	46.8									
1 1/2	4521.5	2474.9	42.6									
1 3/4	4478.4	2431.8	38.3									
2	4435.2	2389.1	34.0									
2 1/4	4392.2	2346.4	29.7									
2 1/2	4349.0	2303.7	26.0									
2 3/4	4305.9	2261.1	22.2									
3	4262.8	2218.4	18.4									
3 1/4	4219.6	2175.7	14.7									
3 1/2	4176.5	2133.0	11.0									
3 3/4	4133.4	2090.4	7.3									
4	4090.3	2047.7	3.8									
4 1/4	4047.1	2005.0	0.2									
4 1/2	3960.9	1962.3	4.2									
4 3/4	3917.7	1919.6	8.2									
5	3874.6	1877.0	12.1									
5 1/4	3831.5	1834.3	16.0									
5 1/2	3788.4	1791.6	19.9									
5 3/4	3745.2	1748.9	23.8									
6	3702.1	1706.1	27.7									
6 1/4	3659.0	1663.6	31.6									
6 1/2	3615.8	1620.9	35.5									
6 3/4	3572.7	1578.2	39.4									
7	3529.5	1535.6	43.3									
7 1/4	3486.4	1492.9	47.2									
7 1/2	3443.2	1450.2	51.1									
7 3/4	3400.1	1407.5	55.0									
8	3357.0	1364.8	58.9									
8 1/4	3313.8	1322.1	62.8									
8 1/2	3270.7	1279.4	66.7									
8 3/4	3227.5	1236.7	70.6									
9	3184.4	1194.0	74.5									
9 1/4	3141.2	1151.3	78.4									
9 1/2	3098.1	1108.6	82.3									
9 3/4	3055.0	1065.9	86.2									
10	3011.8	1023.1	90.1									
10 1/4	2968.7	980.4	94.0									
10 1/2	2925.5	937.7	97.9									
10 3/4	2882.4	895.0	101.8									
11	2839.2	852.3	105.7									
11 1/4	2796.1	809.6	109.6									
11 1/2	2752.9	766.9	113.5									
11 3/4	2709.8	724.2	117.4									
12	2666.6	681.5	121.3									
12 1/4	2623.5	638.8	125.2									
12 1/2	2580.3	596.1	129.1									
12 3/4	2537.2	553.4	133.0									
13	2494.0	510.7	136.9									
13 1/4	2450.9	468.0	140.8									
13 1/2	2407.7	425.3	144.7									
13 3/4	2364.6	382.6	148.6									
14	2321.4	340.0	152.5									
14 1/4	2278.3	297.3	156.4									
14 1/2	2235.1	254.6	160.3									
14 3/4	2192.0	212.0	164.2									
15	2148.8	169.3	168.1									
15 1/4	2105.7	126.6	172.0									
15 1/2	2062.5	84.0	175.9									
15 3/4	2019.4	41.3	179.8									
16	1976.2	0.0	183.7									



GULF COAST DIVISION
 Inspectors of Petroleum
 PASADENA, TEXAS 77502

BARGE MOC VI

TANK GAUGE TABLE
 6 STAR¹

GAUGE HEIGHT 15'-5 3/4"

IN	2 FT	3 FT	4 FT	5 FT	6 FT	7 FT	8 FT	9 FT	10 FT	11 FT	12 FT	13 FT
0	2152.61	2256.33	2359.93	2463.52	2567.10	2670.68	2774.26	2877.84	2981.42	3085.00	3188.58	3292.16
1	2150.09	2253.72	2357.32	2460.91	2564.50	2668.08	2771.67	2875.25	2978.84	3082.42	3186.00	3289.58
2	2147.57	2251.20	2354.79	2458.38	2561.97	2665.55	2769.14	2872.73	2976.31	3079.90	3183.48	3287.07
3	2145.05	2248.68	2352.27	2455.86	2559.45	2663.04	2766.63	2870.22	2973.81	3077.40	3180.99	3284.58
4	2142.53	2246.16	2349.75	2453.34	2556.93	2660.52	2764.11	2867.70	2971.29	3074.88	3178.47	3282.07
5	2140.01	2243.64	2347.23	2450.82	2554.41	2658.01	2761.60	2865.19	2968.78	3072.37	3175.96	3279.56
6	2137.49	2241.12	2344.71	2448.30	2551.90	2655.49	2759.08	2862.67	2966.26	3070.85	3173.45	3277.05
7	2134.97	2238.60	2342.19	2445.78	2549.39	2652.98	2756.57	2859.16	2963.75	3068.34	3170.94	3274.54
8	2132.45	2236.08	2339.67	2443.26	2546.88	2650.47	2754.06	2856.65	2961.24	3065.83	3168.43	3272.03
9	2129.93	2233.56	2337.15	2440.74	2544.37	2647.96	2751.55	2854.14	2958.73	3063.32	3165.92	3269.52
10	2127.41	2231.04	2334.63	2438.22	2541.86	2645.45	2749.04	2851.63	2956.22	3060.81	3163.41	3267.01
11	2124.89	2228.52	2332.11	2435.70	2539.35	2642.94	2746.53	2849.12	2953.71	3058.30	3160.90	3264.50
12	2122.37	2226.00	2329.59	2433.18	2536.84	2640.43	2744.02	2846.61	2951.20	3055.79	3158.39	3262.00
13	2119.85	2223.48	2327.07	2430.66	2534.33	2637.92	2741.51	2844.10	2948.69	3053.28	3155.88	3259.49
14	2117.33	2220.96	2324.55	2428.14	2531.82	2635.41	2739.00	2841.59	2946.18	3050.77	3153.37	3256.98
15	2114.81	2218.44	2322.03	2425.62	2529.31	2632.90	2736.49	2839.08	2943.67	3048.26	3150.86	3254.47
16	2112.29	2215.92	2319.51	2423.10	2526.80	2630.39	2733.98	2836.57	2941.16	3045.75	3148.35	3251.96
17	2109.77	2213.40	2316.99	2420.58	2524.30	2627.88	2731.47	2834.06	2938.65	3043.24	3145.84	3249.45
18	2107.25	2210.88	2314.47	2418.06	2521.80	2625.37	2728.96	2831.55	2936.14	3040.73	3143.33	3246.94
19	2104.73	2208.36	2311.95	2415.54	2519.30	2622.86	2726.45	2829.04	2933.63	3038.22	3140.82	3244.43
20	2102.21	2205.84	2309.43	2413.02	2516.80	2620.35	2723.94	2826.53	2931.12	3035.71	3138.31	3241.92
21	2099.69	2203.32	2306.91	2410.50	2514.30	2617.84	2721.43	2824.02	2928.61	3033.20	3135.80	3239.41
22	2097.17	2200.80	2304.39	2407.98	2511.80	2615.33	2718.92	2821.51	2926.10	3030.69	3133.29	3236.90
23	2094.65	2198.28	2301.87	2405.46	2509.30	2612.82	2716.41	2819.00	2923.59	3028.18	3130.78	3234.39
24	2092.13	2195.76	2299.35	2402.94	2506.80	2610.31	2713.90	2816.49	2921.08	3025.67	3128.27	3231.88
25	2089.61	2193.24	2296.83	2399.42	2504.30	2607.80	2711.39	2814.08	2918.57	3023.16	3125.76	3229.37
26	2087.09	2190.72	2294.31	2396.90	2501.80	2605.29	2708.88	2811.57	2916.06	3020.65	3123.25	3226.86
27	2084.57	2188.20	2291.79	2394.38	2499.30	2602.78	2706.37	2809.06	2913.55	3018.14	3120.74	3224.35
28	2082.05	2185.68	2289.27	2391.86	2496.80	2600.27	2703.86	2806.55	2911.04	3015.63	3118.23	3221.84
29	2079.53	2183.16	2286.75	2389.34	2494.30	2597.76	2701.35	2804.04	2908.53	3013.12	3115.72	3219.33
30	2077.01	2180.64	2284.23	2386.82	2491.80	2595.25	2698.84	2798.53	2906.02	3010.61	3113.21	3216.82
31	2074.49	2178.12	2281.71	2384.30	2489.30	2592.74	2696.33	2796.02	2903.51	3008.10	3110.70	3214.31
32	2071.97	2175.60	2279.19	2381.78	2486.80	2590.23	2693.82	2793.51	2901.00	3005.59	3108.19	3211.80
33	2069.45	2173.08	2276.67	2379.26	2484.30	2587.72	2691.31	2791.00	2898.49	3003.08	3105.68	3209.29
34	2066.93	2170.56	2274.15	2376.74	2481.80	2585.21	2688.80	2788.49	2895.98	3000.57	3103.17	3206.78
35	2064.41	2168.04	2271.63	2374.22	2479.30	2583.10	2686.29	2785.98	2893.47	2998.06	3100.66	3204.27
36	2061.89	2165.52	2269.11	2371.70	2476.80	2581.00	2683.78	2783.47	2890.96	2995.55	3098.15	3201.76
37	2059.37	2163.00	2266.59	2369.18	2474.30	2578.90	2681.27	2780.96	2888.45	2993.04	3095.64	3199.25
38	2056.85	2160.48	2264.07	2366.66	2471.80	2576.80	2678.76	2778.45	2885.94	2990.53	3093.13	3196.74
39	2054.33	2157.96	2261.55	2364.14	2469.30	2574.70	2676.25	2775.94	2883.43	2988.02	3090.62	3194.23
40	2051.81	2155.44	2259.03	2361.62	2466.80	2572.60	2673.74	2773.43	2880.92	2985.51	3088.11	3191.72
41	2049.29	2152.92	2256.51	2359.10	2464.30	2570.50	2671.23	2770.92	2878.41	2983.00	3085.60	3189.21
42	2046.77	2150.40	2253.99	2356.58	2461.80	2568.40	2668.72	2768.41	2875.90	2980.49	3083.09	3186.70
43	2044.25	2147.88	2251.47	2354.06	2459.30	2566.30	2666.21	2765.90	2873.39	2977.98	3080.58	3184.19
44	2041.73	2145.36	2248.95	2351.54	2456.80	2564.20	2663.70	2763.39	2870.88	2975.47	3078.07	3181.68
45	2039.21	2142.84	2246.43	2349.02	2454.30	2562.10	2661.19	2760.88	2868.37	2972.96	3075.56	3179.17
46	2036.69	2140.32	2243.91	2346.50	2451.80	2560.00	2658.68	2758.37	2865.86	2970.45	3073.05	3176.66
47	2034.17	2137.80	2241.39	2343.98	2449.30	2557.90	2656.17	2755.86	2863.35	2967.94	3070.54	3174.15
48	2031.65	2135.28	2238.87	2341.46	2446.80	2555.80	2653.66	2753.35	2860.84	2965.43	3068.03	3171.64
49	2029.13	2132.76	2236.35	2338.94	2444.30	2553.70	2651.15	2750.84	2858.33	2962.92	3065.52	3169.13
50	2026.61	2130.24	2233.83	2336.42	2441.80	2551.60	2648.64	2748.33	2855.82	2960.41	3063.01	3166.62

NOTE: GAUGE POINT LOCATED 3'-2" OFF CENTERLINE BARGE AND 45" FROM BRANCH OF RT. TANKHEAD.
 NOTE: TABLE APPLIES ONLY WHEN BARGE IS ON EVEN REEL.

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

ULLAGE TABLE

SHEET 23 OF 24 SHEETS
 PAGE 13

E.W. BAYBOLT & CO., INC.
W. E. Hilliard

